## CORRECTION Open Access



## Correction: Omniview of three-dimensional ultrasound for prospective evaluation of extrathyroidal extension of differentiated thyroid cancer

Ruyu Liu<sup>1</sup>, Yuxin Jiang<sup>2</sup>, Xingjian Lai<sup>2</sup>, Ying Wang<sup>2</sup>, Luying Gao<sup>2</sup>, Shenling Zhu<sup>2</sup>, Xiao Yang<sup>2</sup>, Ruina Zhao<sup>2</sup>, Xiaoyan Zhang<sup>2</sup>, Xuehua Xi<sup>3</sup> and Bo Zhang<sup>4,5\*</sup>

## Correction to: Liu et al. BMC Medical Imaging (2025) 25:42

https://doi.org/10.1186/s12880-025-01572-w

Following the publication of the original article, the authors reported that the institution "China-Japan Friendship Hospital" mentioned in Affiliations 1, 3, and 4 was not correctly typeset. It was erroneously written as Friendship Hospital. Affiliation 4 should have also been also completed with "Chinese Academy of Medical Sciences" and the postcode should have read 100029.

This correction shows the correct institution's name. The original article has been corrected.

Published online: 20 March 2025

## Publisher's note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at https://doi.org/10.1186/s12880-025-01572-w.

\*Correspondence:

Bo Zhang

zora19702006@163.com

<sup>1</sup>Department of Ultrasound, China-Japan Friendship Hospital (Institute of Clinical Medical Sciences), Chinese Academy of Medical Sciences & Peking Union Medical College, Beijing 100730, China

<sup>2</sup>Department of Ultrasound, Chinese Academy of Medical Sciences & Peking Union Medical College Hospital, Beijing 100730, China <sup>3</sup>Department of Ultrasound, China-Japan Friendship Hospital, Beijing 10029, China

\*\*National Center for Respiratory Medicine, State Key Laboratory of Respiratory Health and Multimorbidity, National Clinical Research Center for Respiratory Diseases, Institute of Respiratory Medicine, Chinese Academy of Medical Sciences, Department of Ultrasound, Center of Respiratory Medicine, China-Japan Friendship Hospital, Beijing 100029. China

<sup>5</sup>Chinese Academy of Medical Sciences & Peking Union Medical College, Beijing 100730, China



© The Author(s) 2025. **Open Access** This article is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License, which permits any non-commercial use, sharing, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if you modified the licensed material. You do not have permission under this licence to share adapted material demonstrated from this article or parts of it. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.